Form PTÖ/SB/08				iber (Optional)		Application Number	Sheet P	Page 1 of		
INFORMATION DISCLOSURE CITATION IN AN APPLICATION			CIBT-P01-5	58		09/508,254				
(Use several sheets if necessary)				Applicant Charette et al.						
							Group Art Unit	Group Art Unit		
NOA 0 7 5005 FG			1 _ *			1647				
	E.			U.S. PA	ATENT DOCUMENT	S				
EXAMINER INITIAL	DOCUMENT NUMBER		DAT	E	NAME	CLAS	S SUBCLASS	FILING		
								APPROP		
							DECE	   		
							neor	IVED	,	
							NOV 0	7 2002		
				FOREIGN	PATENT DOCUME	NTS_	TECH CENTI	R 1600/29	900	
	DOC	UMENT NUMBER	DAT	E	COUNTRY	CLAS		Transla YES		
4) W )	AA	WO 96/18735	6/20/9	)6	PCT			115	NO	
D 100						· ·			_	
4V"]	AB	WO 97/21447	6/19/9	17	PCT					
				J <b>MENTS</b>			or, Title, Date, Pertine			
$\Delta M \Lambda$	AC	Batchelor, P.E. et al. Nerve Growth Factor Receptor and Choline Acetyltransferase Colocalization in Neurons within the Rat Forebrain: Response to Fimbria-Fornix Transection. J. Comp. Neurol. 284, 187-204 (1989).								
	AC 1				occioni v. comp. iveli	01. 201, 107 204 (	1505).			
		Beck et al. The Nature of the Trophic Action of Brain-Derived Neurotrophic Factor, des(1-3)-Insulin-Like Growth Factor-1 and Basic Fibroblast Growth Factor on Mesencephalic Dopaminergic Neurons Developing in Culture. Neurosci. 52, 855-86							r-1,	
	AD `	(1993).	Glowali	actor on Mese	sicephane Dopaminerg.	ic Neurons Develo	ping in Culture. Neur	osci. 32, 833·	-800	
	Bengtsson, H. et al. Potentiating Interactions Between Morphogenetic Protein and Neurotrophi					urotrophic Factors in I	Developing			
	AE	Neurons. J. Neurosci. Res. 53, 559-568 (1998).								
		Berkemeier et al. Neurotrophin-5: A Novel Neurotrophic Factor that Activates trk and trkB. Neuron 7, 857-866 (1991).								
	AF .									
	Bruckenstein, D.A. & Higgins, D. Morphological Differentiation of Embryonic Rat Sympathetic Neurons in Tissue						Tissue Cultu	ure.		
	AG,	D D: 1 100 304 337 (1000)								
	•	De Koninck, P. et al.	NGF Inc	duces Neonatal	Rat Sensory Neurons t	to Extend Dendrite	s in Culture after Rem	oval of Satel	lite	
- 1	AH	- Cells. J. Neurosci. 1	3, 577-58	5 (1993).			`			
<del></del>		Durbec, P. et al. GD	NF signa	ling through th	e Ret receptor tyrosine	kinase. Nature 38	1, 789-793 (27 June 19	996).		
	AI ´							•		
		Ebendal, T. Function	n and Evo	lution in the N	GF Family and its Reco	entors. J. Neurosc	i. Res. 32, 461-470 (19	192).		
	AJ	•			·			- <b>- ,</b> ·		
		Ernfors, P. et al. Mo	lecular cl	oning and neur	otrophic activities of a	nrotein with struct	ural similarities to per	ve growth fac	ctor:	
	AK	Developmental and t	opograph	ical expression	in the brain. PNAS 87	, 5454-5458 (July	1990).	ve growin lac	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		Hallbook, F. et al. N	eurotroph	ins and their re	eceptors in chicken neu	ronal development	Int I Day Riol 30	855 868 (10	05)	
	AL	,	on opi		erprore in emercin neu	.cam development	m. v. Dev. Divi. 39,	022-000 (13	70J.	
10 40	_	Hefti F Neurotroph	ic Factor	Therany for N	ervous System Degener	rative Diseases 1	Neurobiol 25 1419 1	435 /1004)		
YX/IV)	AM	Tion, 1. Treatonoph	40101	. nerupy for Ne	or rous bysicin Degeller	unive Diseases. J.	Trear 00101. 23, 1418-1	433 (1 <b>394)</b> .		
975000		\_/	7. 1	10	1	<del></del>				
875808_1		The state of the s	$(\mathcal{A})$	LYMI	NAN	41411	<b>「</b> ろ			
		<b>'</b>	V 11	- 100	100	'  ' '	$\mathcal{O}$			

Sheet Page 2 of 3

Form PTO/SE	Application Number 09/508,254									
l l	N AN	APPLICATION Applicant								
(Use several sheets if necessary)  NOV 0 4 2002 Charette et al.  Figing Date Group Art Unit										
		October 2, 2000	1647							
Jan)	AN	Hoffer et al. Glial cell line-derived neurotrophic factor reverses toxin-inc Neurosci. Letters 182, 107, 1911 (1994).	duced injury to midbrain dopaminergic neurons in vivo.							
	AO,	Hudson, J. et al. Glial Cell Line-derived Neurotrophic Factor Augments Midbrain Dopaminergic Circuits in Vivo. Brain Res. Bull. 36, 425-432 (1995).								
	AP .	Hyman et al. BDNF is a neurotrophic factor for dopaminergic neurons of the substantia nigra. <i>Nature</i> 350, 230-232 (1991).								
	AQ .	Ibanez, C. F. et al. Neurotrophin-4 is a target-derived neurotrophic factor for neurons of the trigeminal ganglion. <i>Development</i> 117, 1345-1353 (1993).								
	AR ,	Ip, N.Y. et al. Mammalian neurotrophin-4: Structure, chromosomal localization, tissue distribution, and receptor specificity.  PNAS 89, 3060-3064 (April 1992).								
	AS .	Knusel, B. et al. Promotion of central cholinergic and dopaminergic neuron differentiation by brain-derived neurotrophic factor but not neurotrophin 3. <i>PNAS</i> 88, 961-965 (February 1991).								
	AT <	Lein, P. et al. The Effects of Extracellular Matrix and Osteogenic Protein-1 on the Morphological Differentiation of Rat Sympathetic Neurons. <i>Int. J. Dev. Neurosci.</i> 14, 203-215 (1996).								
	AU -	Lein, P. et al. Osteogenic Protein-1 Induces Dendritic Growth in Rat Sympathetic Neurons. Neuron 15, 597-605 (Sept. 1995).								
	AV	Lin, LF. H. et al. GDNF: A Glial Cell Line-Derived Neurotrophic Factor for Midbrain Dopaminergic Neurons. Science 260, 1130-1132 (1993).								
	AW	Liu, F. et al. Human Type II REceptor for Bone Morphogenic Proteins (I., to the BMPs. <i>Mol. Cell. Biol.</i> 15, 3479-3486 (July 1995).	BMPs): Extension of the Two-Kinase Receptor Model							
	AX	Lomko, I. Neurotrophins – An Update. DN&P 6, 669-671 (Nov. 1993).								
	AY	Nosrat et al. Cellular expression of GDNF mRNA suggests multiple fund Res. 286, 191-207 (1996).	ctions inside and outside the nervous system. Cell Tiss.							
	AZ /	Olson, L. Neurotrophins in Neurodegenerative Disease: Theoretical Issue	es and Clinical Trials. Neurochem. J. 25, 1-3 (1994).							
	ВА	Oppenheim et al. Developing motor neurons rescued from programmed a 373, 344-346 (1995).								
	вв .	Pachnis, V. et al. Expression of the c-ret proto-oncogene during mouse e	mbryogenesis. Development 119, 1005-1017 (1995).							
	вс ,	Pei & Enbendal. Specific Lesions in the Extrapyramidal System of the R Exp. Neurol. 132, 105-115 (1995).	at Brain Induced by 3-Nitropropionic Acid (3-NPA).							
Rus	BD ,	Rosenzweig, B.L. et al. Cloning and characterization of a human type II 7632-7636 (August 1995).	receptor for bone morphogenetic proteins. PNAS 92,							

RM NORSON 1/4/03

		TPE	Sheet Page 3 of 3						
Form PTO/SB/08	Docket Number (Opt	onal) Y	Application Number						
INFORMATION DISCLOSURE OF IN AN APPLICATION		<del>/</del>	09/508,254						
(Use several sheets if necess		MON 0 # 5005 mg							
(See See See See See See See See See See	Filing Date		Group Art Unit						
	October 2, 2000	<b>V</b> 29	1647						
// // / / / / / / / / / / / / / / / / /	ain-derived neurotrophic factor enhance	es function rather than survival	of intratriatal dopamine cell-rich grafts.						
BE - Brain Res. 626	, 37-44 (1993).								
1 1 1	et al. Defects in the kidney and enter	c nervous system of mice lackir	ng the tyrosine kinase receptory Ret.						
BF.   Nature 367, 38	Nature 367, 380-383 (1994).								
Snider, W.D. &	Snider, W.D. & Johnson, E.M. Neurotrophic Molecules. Ann. Neurol. 26, 489-506 (1989).								
BG <sup>*</sup>									
	Snider, W.D. Nerve Growth Factor Enhances Dendritic Arborization of Sympathetic Ganglion Cells in Developing Mammals. J. Neurosci. 8, 2628-2634 (1988).								
BH J. Neurosci. 8,									
			one morphogenetic factor type II receptor in						
BI , the developing	the developing and adult rat brain. Cell Tiss. Res. 286, 269-279 (1996).								
Soderstrom, S.	Soderstrom, S. et al. The effect of mercury vapour on cholinergic neurons in the fetal brain: studies on the expression of nerve growth factor and its low- andn high-affinity receptors. <i>Dev. Brain Res.</i> 85, 96-108 (1995).								
BJ growth factor a									
Tropea, M. et a	urons in Vitro. Glia 1, 380-392 (1988).								
BK -									
Trupp, M. et al	Trupp, M. et al. Functional receptor for GDNF encoded by the c-ret proto-oncogene. <i>Nature</i> 381, 785-789 (1996).								
BL	Trappy III de all 1 different for ODIN encoded by the Cite prote encoded. I different electronic (1990).								
Vasquez M.E.	& Ebendal T Messenger RNAs for t	rk and the low-affinity NGF rec	eptor in rat basal forebrain. Neuro Report						
	Vasquez, M.E. & Ebendal, T. Messenger RNAs for trk and the low-affinity NGF receptor in rat basal forebrain. <i>Neuro Report</i> 2, 593-596 (1991).								
( ) ()		•							
		pression during development of	f the chick spinal sensory ganglion. Neuro						
BN Report 6, 2277	-2282 (1995).								
			in High-Affinity (trk) Receptors within						
BO Chick Trigemin	nal Sensory Neurons. Eur. J. Neurosci	7, 116-128 (1995).							
			272 241 244 (1905)						
BP Yan et al. In vi	vo neurotrophic effects of GDNF on r	eonatal and adult facial motor n	eurons. Nature 373, 341-344 (1995).						
$\langle W \rangle  _{BP}$	Λ								
EXAMINE (	n//	DATE CONSIDERE	9.20						
9091 70034 1 919103									
EXAMINER: Initial if citation consid	ered, whether or not citation is in conf	ormance with MPEP § 609; D	aw line through citation if not in						
conformance and not considered. Include copy of this form with next communication to the applicant.									

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERERCE

